# Safety Data Sheet (SDS)

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

# Section 1: Identification of the Substance/Mixture and the Company/Undertaking

Product Name: White Skimcoat Product Code: White Skimcoat

Dependable, LLC. Email:

1127 Linda St. info@dependable.us

Rocky River, OH 44116 Phone:

USA 440-333-1123

Chemtrec: 1-800-424-6400

Chemtrec Global: 1-703-527-3887



Product Use: Gypsum Based Smoothing Material

# Section 2: Hazard(s) Identification

#### **GHS Ratings:**

Skin corrosive 3 Reversible adverse effects in dermal tissue, Draize score: >=

1.5 < 2.3

Carcinogen 1A Known Human Carcinogen Based on human evidence

**GHS Hazards** 

H316 Causes mild skin irritation

H350 May cause cancer

**GHS Precautions** 

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P281 Use personal protective equipment as required
P308+P313 IF exposed or concerned: Get medical advice/attention
P332+P313 If skin irritation occurs: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations. Manufacturer/supplier or the

competent authority to specify whether disposal requirements apply to contents,

container or both.

# Signal Word: Danger





SDS for: White Skimcoat Page 1 of 8

Printed: 3/30/2016 at 2:09:30PM

# Section 3: Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Gypsum (Ca(SO4).2H2O)	13397-24-5	40.00% - 50.00%
Calcium sulfate	7778-18-9	30.00% - 40.00%
Limestone	1317-65-3	10.00% - 20.00%
Starch	9005-25-8	5.00% - 10.00%
Carbonic acid, calcium salt (1:1)	471-34-1	1.00% - 5.00%
Quartz	14808-60-7	0.10% - 1.00%

# **Section 4: First Aid Measures**

# **4.1 Description of First Aid Measures**

**After Inhalation:** Supply fresh air. If required, provide artificial respiration by qualified medical personnel. Keep patient warm. Consult doctor if symptons persist.

**After Eye Contact:** Remove contact lens if worn. Rinse opened eye for 20 to 30 minutes under running water. If symptoms persist, consult a doctor.

**After Skin Contact:** Remove all contaminated clothing. Immediately wash affected skin with lukewarm water and soap, rinse thoroughly (20 min.). If skin irritation continues, consult a doctor. **After Swallowing:** Rinse out mouth and then drink plenty of water. Do not induce vomiting. Call for medical help immediately.

Notes to Physician: Treat symptomatically

# Section 5: Firefighting Measures

Flash Point: 998 C (1,828 F)

LEL: UEL:

**5.1 Flammable Limits:** Not flammable under normal conditions. Contact with water may cause hydration, and formation of caustic alkaline material.

#### 5.2 Extinguising Media

Dry Chemical

Alcohol Resistant Foam

Carbon dioxide

Do not use water

#### 5.3 Special Hazards Arising from the Substance of Mixture

Formation of toxic gases is possible during heating or in case of fire.

#### **5.4 Hazardous Combustion Products**

Carbon oxides

Sulphur Oxides

Calcium Oxide

Aldehydes

## 5.5 Advice for Firefighters

Wear self-contained respiratory protective device and other proper protective equipment.

# 5.6 Fire Damage

Dispose of fire debris and contaminated fire fighting media in accordance with official regulations

SDS for: White Skimcoat

Page 2 of 8

# Section 6: Accidental Release Measures

## 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Corrosive!

Avoid dust formation

Do not breathe dust

Avoid contact with skin, eyes and clothing

Remove all non-essential people from the affected area.

Ensure adequate ventilation

Wear protective equipment

**6.2 Environmental Precautions:** Do not allow to enter sewers/ surface or ground water. Prevent seepage into sewage system, workpits and cellars.

# 6.3 Methods and Materials for Containment and Cleaning Up:

Ensure adequate ventilation.

Pick up and arrange disposal without creating dust.

Dispose of the collected material according to regulations.

# **6.4 Reference to Other Sections**

For personal protection see Section 8

For disposal information see Section 13.

# Section 7: Handling and Storage

## 7.1 Precautions for Safe Handling

Corrosive!

Avoid formation of respirable particles

Do not breath vapours/dust

Do not get in eyes, on skin, or on clothing

Ensure good ventilation/exhaustions at the workplace

Make sure that all applicable workplace limits are observed.

## 7.2 Conditions for Safe Storage, Including any Incompatibilities

Store in cool, dry conditions in well sealed receptacles

Keep receptacle tightly sealed. Store in dry conditions.

Protect from humidity and water

Storage temperature 10 - 50 °C

Do not store together with oxidizing and acidic materials.

# Requirements to be Met by Storerooms and Receptacles: Observe all local and national

regulations for storage of water polluting products.

# 7.3 Specific End Use(s)

No further relevant information available.

# Section 8: Exposure Controls/Personal Protection

# 8.1 Control Parameters

Ingredients with limit values that require monitoring at the workplace:

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits

SDS for: White Skimcoat

Page 3 of 8

Gypsum (Ca(SO4).2H2O)	15 mg/m3 TWA (total dust); 5	10 mg/m3 TWA (inhalable	NIOSH: 10 mg/m3 TWA
13397-24-5	mg/m3 TWA (respirable fraction)	fraction, listed under Calcium sulfate)	(total dust); 5 mg/m3 TWA (respirable dust)
Calcium sulfate 7778-18-9	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	10 mg/m3 TWA (inhalable fraction)	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Limestone 1317-65-3	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	Not Established	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Starch 9005-25-8	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	10 mg/m3 TWA	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Carbonic acid, calcium salt (1:1) 471-34-1	Not Established	Not Established	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Quartz 14808-60-7	Not Established	0.025 mg/m3 TWA (respirable fraction)	NIOSH: 0.05 mg/m3 TWA (respirable dust)

Additional Information: The lists that were valid during the creation were used as a basis.

## 8.2 General Protective and Hygienic Measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working

Keep away foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin

## 8.3 Personal Protective Equipment:

**Eve Protection:** Safety glasses with side shields, goggles preferred.

<u>Respiratory Protection:</u> Use suitable respirator protective device in case of insufficient ventilation, required if TLV exceeded.. Use suitable respiratory protective device when dust and fumes is formed. NIOSH/MSHA respirator is advised.

<u>Protection of Hands:</u> Protective gloves: to avoid skin problems, the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Reccommended glove material: Neoprene, butyl rubber gloves, note: the selection of the suitable gloves does not only depend on the material, but also on the further marks of quality and varies from manufacturer to manufacturer several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Protective gloves should be replaced at the first signs of wear. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

<u>Skin and Body Protection:</u> Choose body protection according to the amount and concentration of the dangerous substance at the work place. An eyewash and safety shower stations should be available in the work area.

# Section 9: Physical and Chemical Properties

## 9.1 Information on Basic Physical and Chemical Properties

Appearance:	Solid - White Powder	Odor:	None
Odor threshold:	N/A	Vapor Pressure:	N/A

SDS for: White Skimcoat

Page 4 of 8

Vapor Density: N/A pH: 10-12

Specific Gravity: 2.5-2.9 Freezing point: N/A

Boiling range: N/A Flash point: N/A

Flammability: Not Flammable Partition coefficient (n- N/A

octanol/water):

Autoignition N/A Decomposition Not Available

temperature:

Viscosity: Not Availabe Grams VOC less water: N/A

# Section 10: Stability and Reactivity

temperature:

## 10.1 Reactivity:

Stable under recommeded storage conditions. Interaction with water may cause hydration and formation of alkaline material. No decomposition if stored and applied as directed.

# 10.2 Chemical Stability:

No decomposition if stored and applied as directed.

## 10.3 Possibility of Hazardous Reactions:

None known

Hazardous polymerization will not occur.

# Section 11: Toxicological Information

Mixture Toxicity

Component Toxicity

## 11.1 Information on Toxicological Effects

**Routes of Entry:** 

No data available

**Target Organs:** 

Eyes Skin Respiratory System

**Effects of Overexposure** 

**Carcinogenicity:** The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

14808-60-7 Quartz: NIOSH: potential

occupational carcinogen IARC: Human carcinogen

OSHA: listed

# Section 12: Ecological Information

SDS for: White Skimcoat

Page 5 of 8

## 12.1 Persistence and Degradability

**Product:** No further relevant information available

#### 12.2 Bioaccumulative Potential

**Product:** No further relevant information available

## 12.3 Mobility in Soil

**Product:** Distribution among environmental compartments: No further relevant information available.

# Additional Ecological Information:

German Hazard Water Class NWG

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 12.4 Results of PBT and vPvB Assessment:

Assessment: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

#### 12.5 Other Adverse Effects

**Product:** No further relevant information available

## 12.6 Toxicity

#### **Component Ecotoxicity**

Calcium sulfate

96 Hr LC50 Lepomis macrochirus: 2980 mg/L [static]; 96 Hr LC50 Pimephales

promelas: >1970 mg/L [static]

# Section 13: Ecological Information

## 13.1 Waste Treatment Methods

**<u>Product:</u>** The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with the chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company. Send to a licensed waste management company.

Contaminated Packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

# Section 14: Transport Information

## 14.1 UN Number:

None - Not Regulated

# Section 15: Regulatory Information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prop 65 - Chemicals Known to Cause Developmental Toxicity

- None

Prop 65 - Chemicals Known to Cause Cancer:

14808-60-7 Quartz

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

SDS for: White Skimcoat Printed: 3/30/2016 at 2:09:30PM

- None
- U.S. CERCLA/SARA Section 302 Extremely Hazardous Substances EPCRA RQs
  - None
- U.S. CERCLA/SARA Section 302 Extremely Hazardous Substances TPQs
  - None
- U.S. CERCLA/SARA Section 313 Emission Reporting
  - None
  - None

## TSCA (Toxic Substances Control Act)

- None

Country USA Canada Regulation

Inventory - United States - Section 8(b) Inventory (TSCA)
DSL (Canadian Domestic Substance List)

All Components Listed Yes

Yes



**EU Risk Phrases** 

#### **Safety Phrase**

- None

# **Section 16: Other Information**

#### **Hazardous Material Information System (HMIS)**



HMIS & NFPA Hazard Rating Legend

\* = Chronic Health Hazard


0 = INSIGNIFICANT

1 = SLIGHT

2 = MODERATE

3 = HIGH

#### National Fire Protection Association (NFPA)



We believe the information contained in this SDS is correct, however, because the material may be used under conditions over which we have no control, we give no warranty and assume no responsibility for any damage to person, property or business arising from such use. It is the responsibility of the user to ensure it is properly used. Recipients are advised to confirm in advance of need that the information is current, applicable and suitable to their circumstances.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reviewer Revision

Date Prepared: 3/30/2016

SDS for: White Skimcoat

Page 8 of 8